

Architettura Industrializzata di Spazi Commerciali
Display Solutions & Sales Equipment for Large-Scale Distribution



SIDAC

METALSISTEM[®]

La nostra vocazione all'energia pulita!

CREARE VALORE a IMPATTO ZERO: la nostra vocazione a fare la differenza!
METALSISTEM è orgogliosa di adottare il concetto di **SOSTENIBILITÀ** del proprio modello aziendale.
Zero emissioni e Zero impatto ambientale grazie al nostro **ECCEZIONALE PROCESSO PRODUTTIVO!**
METALSISTEM ha raggiunto l'autosufficienza energetica grazie all'utilizzo di fonti rinnovabili.


Our dedication to making a difference: creating **MORE VALUE** with **LESS IMPACT!**
METALSISTEM is proud to adopt **ECO-EFFICIENCY** concepts in its business model.
ZERO emission and ZERO ecological impact thanks to a **UNIQUE MANUFACTURING PROCESS!**
METALSISTEM has achieved energy self-sufficiency through the use of renewable resources.



Metalsistem Headquarter in Rovereto (TN) Italy



Quality, Excellence, Service: our strength points in the challenge of competitiveness.
METALSISTEM, designing and organising your space. Since 1970.







gondola





NON FOOD
LARGE SCALE DISTRIBUTIONS


















Composizione fondali con base H.100 <i>Back panel combination with base H.100</i>	Altezza - Height <mm>															
	1060	1160	1260	1360	1460	1560	1660	1760	1860	1960	2060	2160	2260	2360	2460	2560
H.100		1		1		1		1		1		1		1		1
H.200			1	1			1	1			1	1			1	1
H.400	2	2	2	2	3	3	3	3	4	4	4	4	5	5	5	5
H.150 (compendio / plugging)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1




Composizione fondali con base H.140 <i>Back panel combination with base H.140</i>	Altezza - Height <mm>															
	1060	1160	1260	1360	1460	1560	1660	1760	1860	1960	2060	2160	2260	2360	2460	2560
H.100	1		1		1		1		1		1		1		1	1
H.200		1	1			1	1			1	1			1	1	
H.400	2	2	2	3	3	3	3	4	4	4	4	5	5	5	5	6



Composizione fondali con base H.240 <i>Back panel combination with base H.240</i>	Altezza - Height <mm>															
	1060	1160	1260	1360	1460	1560	1660	1760	1860	1960	2060	2160	2260	2360	2460	2560
H.100		1		1		1		1		1		1		1		1
H.200			1	1			1	1			1	1			1	1
H.400	2	2	2	2	3	3	3	3	4	4	4	4	5	5	5	5



Composizione fondali con base in tubo h.90 <i>Back panel combination with base H.90</i>	Altezza - Height <mm>															
	1060	1160	1260	1360	1460	1560	1660	1760	1860	1960	2060	2160	2260	2360	2460	2560
H.100		1		1		1		1		1		1		1		1
H.200			1	1			1	1			1	1			1	1
H.400	2	2	2	2	3	3	3	3	4	4	4	4	5	5	5	5
H.150 (compendio / plugging)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1



Composizione fondali senza base <i>Back panel combination without base</i>	Altezza - Height <mm>															
	1060	1160	1260	1360	1460	1560	1660	1760	1860	1960	2060	2160	2260	2360	2460	2560
H.100	1		1		1		1		1		1		1		1	1
H.200		1	1			1	1			1	1			1	1	
H.400	2	2	2	3	3	3	3	4	4	4	4	5	5	5	5	6
H.150 (tamponamento / cladding)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Dim. elementi Elements dim.						
	500	665	900	1000	1250	1330

Altezza - Height (mm)									
Fondali disponibili - Back panel types	1	Liscio Smooth		100	150	200		400	
	2	Asolato Slotted					300	400	
	3	Forato asimmetrico Asymmetrically perforated					300	400	
	4	Forato antigancio Anti-detachment perforated					300	400	
	5	Dogato Slatted	50	100					
	6	Filo Wire						800	1200
	7	Multibarra Multi-bar					400		
	8	Filo portante Load bearing wire					400		

Basi - Bases	P/D (mm)	H.90	H.100	H.140	H.240
	300		X	X	X
	400		X	X	X
	500	X	X	X	X
	600	X	X	X	X
	700	X	X	X	X
	800	X	X	X	X
	900			X	X
	1000			X	X

Mensole P50 - Brackets P50	P/D (mm)	2A 3P	3A 1P	3A 3P	4A 1P
	200	X			
	300	X			
	400	X		X	
	500	X		X	
	600			X	X
	700		X		X
	800				X

Mensole P25 - Brackets P25	P/D (mm)	3A 1P	3A 1P -13°	3A 1P -30°	5A 1P	5A 1P -13°	5A 1P -30°	7A 1P
	200	X	X	X				
	300	X	X	X				
	400	X	X	X	X	X	X	
	500	X	X	X	X	X	X	
	600				X	X	X	
	700							X
	800							X



Ripiani - Shelves	Lamiera Lisci - Smooth Steel						
	P/D (mm)	L.500	L.665	L.900	L.1000	L.1250	L.1330
	200	X	X	X	X	X	X
	300	X	X	X	X	X	X
	400	X	X	X	X	X	X
	500	X	X	X	X	X	X
	600	X	X	X	X	X	X
	700	X	X	X	X	X	X

Lamiera Forati - Perforated Steel						
P/D (mm)	L.500	L.665	L.900	L.1000	L.1250	L.1330
200	X	X	X	X	X	X
300	X	X	X	X	X	X
400	X	X	X	X	X	X
500	X	X	X	X	X	X
600	X	X	X	X	X	X
700	X	X	X	X	X	X


Legno - Wood						
P/D (mm)	L.500	L.665	L.900	L.1000	L.1250	L.1330
300	X	X	X	X	X	X
400	X	X	X	X	X	X
500	X	X	X	X	X	X
600	X	X	X	X	X	X
700	X	X	X	X	X	X

Filo - Wire						
P/D (mm)	L.500	L.665	L.900	L.1000	L.1250	L.1330
400	X	X	X	X	X	X
500	X	X	X	X	X	X
600	X	X	X	X	X	X
700	X	X	X	X	X	X

Cristallo - Glass						
P/D (mm)	L.500	L.665	L.900	L.1000	L.1250	L.1330
300	X	X	X	X	X	X
400	X	X	X	X	X	X
500	X	X	X	X	X	X
600	X	X	X	X	X	X









CASH&CARRY - DIY
STORAGE & DISPLAY SOLUTIONS

